

SOO SUPER WITH FUTAR®

BITE REGISTRATION



FUTAR® – PERFORMANCE RUNS IN THE FAMILY



Dental arch

	(X)				
Bite registration material	Mixing	Working time at 23 °C/74 °F ≤	Intraoral setting time at 35 °C/95 °F ≥	Total setting time ²⁾ ≥	Hardness (approx.) Shore
Futar®	H CO	30 sec.	90 sec.	2:00 min.	A 90
Futar® Easy		30 sec.	90 sec.	2:00 min.	A 90
Futar ® D		30 sec.	90 sec.	2:00 min.	D 43
Futar® D Slow		90 sec.	3:00 min.	4:30 min.	D 43

²⁾ Total setting time (removal time from mouth) from the start of mixing



²⁾Total setting time (removal time from mouth) from the start of mixing



FUTAR® – SIMPLY IMPRESSIVE!

Bite registration

The **Futar**° product family includes seven different bite registration materials based on A-silicone for making accurate occlusal records.

SUPER IN QUALITY

O For accurate occlusal registrations

SUPER THROUGH VERSATILITY

O Choose between high and highest final hardness in addition to different processing times!

SUPER IN RELIABILITY AND CONTINUITY

O Tried and tested many times with always reliable quality

Do not make compromises wit



FUTAR® – THE ADVANTAGES AT A GLANCE

Futar® / Futar® Fast:

- O High final hardness (Shore-A 90)
- O Flexible in processing: easy to cut
- Also available with fastsetting characteristics for more patient comfort!



Futar® Easy / Futar® Easy Fast:

- O High final hardness (Shore-A 90)
- O Low bite resistance
- O Easy to cut
- Also available with fastsetting characteristics
- Low dispensing force easy to apply



The Futar® family can do even more:



Futar® D/Futar® D Fast:

- O Extra high final hardness (Shore-D 43)
- Offers very good millability
- Also available with fast-setting characteristics: for more patient comfort!



Futar® D Slow:

- O Extra high final hardness (Shore-D 43)
- Extra long processing time for time-consuming applications, e.g. for myocentric bite registration, fixation of impression posts or individual contouring of the margins
- O Versatile use also in the laboratory



- Accurate results thanks to excellent flow properties
- O Low elasticity reduces springiness in the model assignment
- O Surplus can be broken off easily

SIMPLE, CLEAN AND FAST TO USE!

FUTAR® – THE RANGE



Products	Normal pack 2 x 50 mL cartridges, 6 blue mixing tips	Bonus pack 10 x 50 mL cartridges, 30 blue mixing tips	
Futar®	REF 1191211	REF 2827711	
Futar® Fast	REF 1192611	REF 2827611	
Futar® Easy	REF 1192311		
Futar® Easy Fast	REF 1192411	-	
Futar® D	REF 1193211	REF 2827811	
Futar® D Fast	REF 1196111	REF 2827911	
Futar® D Slow	REF 1195111	-	
Mixing tips	50 pieces	100 pieces	

REF 17244

NOTES

Kettenbach SNC
7, Place de la Gare
57200 Sarreguemines · France
info@kettenbach.com
www.kettenbach-dental.com

Mixing tips, blue, ø 6,0 mm

Not for use, sale and distribution in Germany.



REF 17246